

緊急救援手冊

PEUGEOT E3008



PEUGEOT 總代理 寶嘉聯合

民國 114 年 9 月 3 日


一、安全氣囊及車輛結構圖……………3

二、電動車介紹及斷電方式……………4

1. 車輛辨識……………4
2. 固定 / 穩定 / 抬升……………4
3. 解除直接危險 / 安全規則 ……………5
4. 進入駕駛座……………5
5. 儲存的能量 / 液體 / 氣體 / 固體 ……………6
6. 發生火災時……………6
7. 發生淹水時……………7
8. 拖吊 / 運輸 / 存放……………7
9. 拖吊 / 運輸 / 存放……………8
10. 圖形釋義……………8

三、緊急聯絡窗口……………9

一、安全氣囊及車輛結構圖




	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		
	Battery low voltage		Gas strut / Preloaded spring		High strength zone		High voltage component		
	Battery pack, high-voltage		High voltage power cable		Cable cut		Low voltage device that disconnects high voltage		

二、電動車介紹及斷電方式

1. 車輛辨識



LACK OF ENGINE NOISE DOES NOT MEAN VEHICLE IS OFF, SILENT MOVEMENT OR INSTANT RESTART CAPABILITY EXISTS UNTIL VEHICLE IS FULLY SHUT DOWN. WEAR APPROPRIATE PPE.




2. 固定 / 穩定 / 抬升




Do not place cribbing such as wooden blocks or rescue air lifting bags under the fuel system or high voltage power cables. Doing so may result in fuel leaks, fire, or electric shock.

3. 解除直接危險 / 安全規則


Main disabling method




4. 進入駕駛座



High strength steel body




Seat adjustment



Steering column adjustment



5. 儲存的能量 / 液體 / 氣體 / 固體

	12V	  
	400V / Li-ion 73 kWh (standard range front wheel drive) 98 kWh (long range)	     
	1234 YF	



when coolant leaks from the battery pack, it can become unstable with risk of thermal runaway. Check battery pack temperature with thermal imaging camera.



6. 發生火災時



Use large amount of water



RE-IGNITION POSSIBLE !



Lithium-ion batteries may self-ignite or reignite once the fire has been extinguished. Monitor the temperature of the high-voltage battery!


7. 發生淹水時




Remove the vehicle from the water then refer to chapter 3, Disable direct hazards / safety regulation

8. 拖吊 / 運輸 / 存放


Location front hook



Location rear hook




STORE AT SAFE DISTANCE FROM OTHER VEHICLES !




RE-IGNITION POSSIBLE !

9. 重要補充訊息



BEV FWD



10. 圖形釋義

	Remove smart key		Flammable
	General warning sign		Hazardous to the human health
	Warning; low temperature		Acute toxicity
	Warning, Electricity		Explosive
	Air-conditioning component		Corrosives
	Electric Vehicle		Use water to extinguish the fire
	Use thermal Infrared camera		Bonnet

三、緊急聯絡窗口

寶嘉聯合顧客服務中心

0800-207-307(24 小時)