

緊急救援手冊

ALFA ROMEO JUNIOR ELETTRICA 280 Q2




寶嘉聯合

民國 114 年 12 月 24 日

一、安全氣囊及車輛結構圖.....	3
二、電動車介紹及斷電方式.....	4
1. 車輛辨識.....	4
2. 固定 / 穩定 / 抬升.....	4
3. 解除直接危險 / 安全規則	5
4. 進入駕駛座和乘客區域.....	6
5. 儲存的能量 / 液體 / 氣體 / 固體	6
6. 發生火災時.....	7
7. 發生淹水時.....	7
8. 拖吊 / 運輸 / 存放.....	7
9. 補充訊息.....	8
三、緊急聯絡窗口.....	9

一、安全氣囊及車輛結構圖




	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		
			Gas strut / Preloaded spring		High strength zone				
	Battery low voltage								
	Battery pack, high-voltage		High voltage power cable						
	Cable cut		Low voltage device that disconnects high voltage						

二、電動車介紹及斷電方式

1. 車輛辨識




LACK OF ENGINE NOISE DOES NOT MEAN VEHICLE IS OFF, SILENT MOVEMENT OR INSTANT RESTART CAPABILITY EXISTS UNTIL VEHICLE IS FULLY SHUT DOWN. WEAR APPROPRIATE PPE.




2. 固定 / 穩定 / 抬升

Immobility




Stabilization/lifting points




Do not place cribbing such as wooden blocks or rescue air lifting bags under the fuel system or high voltage power cables. Doing so may result in fuel leaks, fire, or electric shock.

3. 解除直接危險 / 安全規則

Main disabling method



4. 進入駕駛座和乘客區域



5. 儲存能量 / 液體 / 氣體 / 固體

	12V	
	350V Lithium-ion battery	
	R-1234yf 875±15 g	

when coolant leaks from the battery pack, it can become unstable with risk of thermal runaway. Check battery pack temperature with thermal imaging camera.

6. 發生火災時



Use large amount of water



RE-IGNITION POSSIBLE !




Lithium-ion batteries may self-ignite or reignite once the fire has been extinguished. Monitor the temperature of the high-voltage battery!

7. 發生淹水時


3. Disable direct hazards / safety regulations

8. 拖吊 / 運輸 / 存放

Location front hook




Location rear hook






STORE AT SAFE DISTANCE FROM OTHER VEHICLES !

OK:



NOK:



RE-IGNITION POSSIBLE !

9. 補充訊息

	Remove smart key		Flammable
	General warning sign		Hazardous to the human health
	Warning; low temperature		Acute toxicity
	Warning, Electricity		Explosive
	Air-conditioning component		Corrosives
	Electric Vehicle		Use water to extinguish the fire
	Use thermal Infrared camera		Bonnet

三、緊急聯絡窗口

寶嘉聯合顧客服務中心

0800-207-307(24 小時)